

# Safety Data Sheet

## Instant Cold

**ColdStar**  
INTERNATIONAL

Complies with 91/155/EEC, 1907/2006 (REACH) and amendments, OSHA's Hazard Communication Standard, 29 CFR 1910.1200; and the requirements of the U.S. Department of Labor Occupational Safety & Health Administration.

### Regulatory Status:

This preparation is classified as hazardous under U.S. OSHA 29 CFR 1910.1200; E.C. Directive 1999/45/EC; Canadian R.S. 1985, c. H-3; U.K. CHIP 2002 No. 1689; and/or U.N. GHS ST/SG/AC 10/30.

None of the components present in this preparation at concentrations equal to or greater than 0.1% are listed by IARC, NTP, OSHA or ACGIH as a carcinogen.

### SECTION 1: PRODUCT IDENTIFICATION

<b>PRODUCT NAME:</b>	Instant Cold Pack	<b>SERIES NAME:</b>	0101	0102	0103
			0104	0201	0202
<b>DESCRIPTION:</b>	ColdStar Disposable Instant Cold Compress ColdStar Reusable Instant Insulated Cold Compress ColdStar Soft-Weave Instant Cold Compress ColdStar Instant Cold Perineal Cold Pad		4112	0401	0402
<b>PRODUCT USE:</b>	Thermal Therapy				
<b>DISTRIBUTOR:</b>	Coldstar International PO Box 54 Johnson City, TN 37605	Telephone:	+1 (423) 538-5551		
		Fax:	+1 (423) 538-3030		
		Website:	<a href="http://www.coldstarinternational.com">www.coldstarinternational.com</a>		

### SECTION 2: HAZARD IDENTIFICATION

This SDS contains valuable information critical to the safe handling and proper use of the product. The SDS should be retained and available for employees and other users of this product.

#### CLASSIFICATION OF THE SUBSTANCE OR MIXTURE:

GHS 3.1.14 – Oxidizing Solid – Category 3 – Solid  
GHS 3.2.1 – Acute Toxicity – Category 5 – Oral  
GHS 3.2.3 – Skin Irritant – Category 3 – Mild Skin Irritant  
GHS 3.2.4 – EYE EFFECTS – Category 2A – Irritant  
GHS 3.2.5 – SENSITIZATION – Respiratory – Nose and Throat Irritant

**GHS LABEL ELEMENTS:** WARNING



#### HAZARD-DETERMINING COMPONENTS OF LABELING:

Ammonium Nitrate

#### HAZARD STATEMENTS:

H272 – May Intensify fire; Oxidizer  
H303 – May be harmful if swallowed  
H315 + H320 – Causes skin and eye Irritation  
H335 – May Cause Respiratory irritation

#### PRECAUTIONARY STATEMENTS:

P102 – Keep out of reach of children  
P103 – Read label before use  
P210 – Keep away from heat/sparks/open flames/hot surfaces. No Smoking  
P221 – Take any precaution to avoid mixing with combustibles / incompatible materials  
P311 – Call a POISON CENTER or doctor/physician.

**CLASSIFICATION SYSTEM:** NFPA DEFINITIONS: 0-LEAST, 1-SLIGHT, 2-MODERATE, 3-HIGH, 4-EXTREME

#### NFPA RATING DIAMOND (SCALE 0-4):

HEALTH= 0 - Least  
FIRE= 0 - Least  
REACTIVITY= 3 - Least

#### HMIS-RATINGS (SCALE 0-4):

HEALTH:	1
FIRE:	1
REACTIVITY:	3

# Safety Data Sheet

## Instant Cold

**ColdStar**  
INTERNATIONAL

### SECTION 3: COMPOSITION INFORMATION

**COMPOSITION:** Mixture consisting of the following components

<u>ITEM:</u>	<u>C.A.S. NO.</u>	<u>PERCENT</u>
Ammonium Nitrate	6484-52-2	40% - 60%
Water	7732-18-5	40% - 60%
Proprietary		1.00%* Trade Secret
Polymers (Film)	None	2.00% - 4.00%

The above chemicals are separated into compartments before activation of the cold pack.

Compartment 1: Ammonium Nitrate (powder), Compartment 2: Water

The product contains the following toxic chemicals subject to the reporting requirements of Section 313 of Title III Emergency Planning and Community Right To Know Act of 1986 and 40 CFR.: AMMONIUM NITRATE

### SECTION 4: FIRST AID MEASURES

#### DESCRIPTION OF FIRST AID MEASURES

**GENERAL INFORMATION:** During normal use of this article exposure to the chemical is not expected.

#### EYE CONTACT:

Eye contact is not expected to occur during normal use of the product.

If contact with the contents occurs, rinse immediately with plenty of water, also under the eyelids. Obtain medical attention if irritation persists.

#### SKIN CONTACT:

Prolonged or repeated exposure may cause:

Frostbite: signs/symptoms can include firm blanched areas, redness, pain, tissue destruction, swelling and scar tissue formation.

If contact with the contents occurs, Wash off with soap and water

#### INHALATION:

No adverse health effects are expected from inhalation exposure.

Exposure to non-activated pack contents may cause shortness of breath, cough, and irritation to the respiratory tract.

Discard pack and move to area with adequate ventilation.

#### IF SWALLOWED:

Ingestion is not a likely route of exposure to this product.

Ingestion may cause: Irritation of gastrointestinal tissues: signs /symptoms can include pain, vomiting, abdominal tenderness, nausea, blood in vomitus and blood in feces.

Call a physician or Poison Control Centre immediately. If victim IS conscious, rinse mouth with a small amount of water. Never give anything by mouth to a person who is unconscious or drowsy.

#### OTHER HEALTH HAZARD INFORMATION:

Exposure to the contents of the pack may cause eye and skin irritation. If pack breaks, discard and wash the affected area with soap and water.

### SECTION 5: FIRE & EXPLOSION HAZARD DATA

**GENERAL INFORMATION:** As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear.

**FLASH POINT:** N/D

**AUTOIGNITION TEMPERATURE:** N/D

**EXTINGUISHING MEDIA:** WATER

**SPECIAL FIRE FIGHTING PROCEDURES:** N/D

**UNUSUAL FIRE AND EXPLOSION HAZARDS:** N/D

**HAZARDOUS DECOMPOSITION PRODUCTS:** N/D

#### SPECIAL FIRE FIGHTING PROCEDURES:

Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask and protective covering for exposed areas of the head. These firefighting procedures are applicable in warehouse situations. Single units would not call for the above procedures.

#### UNUSUAL FIRE AND EXPLOSION HAZARDS:

Confinement at elevated temperatures or exposure to strong oxidizers may cause an explosion.

**OSHA FIRE HAZARD CLASS:** Not Determined

# Safety Data Sheet

## Instant Cold

**ColdStar**  
INTERNATIONAL

### SECTION 6: ACCIDENTAL RELEASE MEASURES

#### PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Wear suitable protective equipment.

Do not use combustible materials such as paper towels or sawdust to collect spill.

#### SPILL AND LEAK PROCEDURES:

Recommended clean-up procedures when compress is damaged before activation:

- Contain and collect with Inert absorbent material and place in a suitable container for disposal, similar to the container material was supplied in.
- Do not use combustible materials such as paper towels or sawdust to collect spill. Contact with combustible material may cause fire. Comply with all federal, state and local regulations.

Recommended clean-up procedures when compress is damaged after activation:

- Spilled material should be collected appropriately and wash remainder with plenty of water. If spilled material enters a water course, inform the local authority.
- Place in a suitable container for disposal, similar to the container material was supplied in.

#### ENVIRONMENTAL PRECAUTIONS:

The substance is biodegradable. Harmful to aquatic organisms. Ensure spilled product does not enter drains, sewers, waterways, or confined spaces.

### SECTION 7: HANDLING & STORAGE

#### PRECAUTIONS FOR SAFE HANDLING & STORAGE:

Avoid contact with contents of product.

Handling: use appropriate protective clothing and equipment (see Sect" on 8)

Storage: Store away from combustible material and reducing agents. Do not expose to high temperatures.

Packaging Materials: bulk, bags

#### OTHER PRECAUTIONS:

Recommended handling procedures when compress is damaged:

Wear appropriate protective equipment. Avoid breathing vapors, fumes or dust.

Avoid contact with skin, eyes and clothing. Avoid and control operations which create high vapor or dust concentrations.

Do not ingest. Wash thoroughly after handling.

Always keep in containers made of the same materials as the supply container.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

**PROTECTIVE GLOVES:** None required for normal use.

**RESPIRATORY PROTECTION:** No personal respiratory protective equipment normally required.

**EYE PROTECTION:** Eye contact is not expected to occur during normal use of the product.

**SKIN PROTECTION:** No adverse health effects are expected from skin contact. Protective gloves may be worn only in case of moist and sensitive hands.

**ENGINEERING CONTROLS:** No special ventilation normally required.

**OTHER PROTECTIVE CLOTHING OR EQUIPMENT:** N/A

For bulk processing, regular hand washing along with general body-covering clothing, safety goggles and gloves are Recommended as good industrial hygiene practice.



### SECTION 9: PHYSICAL/CHEMICAL PROPERTIES

<b>Appearance:</b>	Solid=White, Granules; Liquid=Hazy to Clear
<b>Odor:</b>	Odorless
<b>Odor threshold:</b>	N/A
<b>pH:</b>	N/A
<b>Melting Point</b>	170°C
<b>Freezing Point:</b>	N/A
<b>Boiling Point and Boiling Range:</b>	>100°C
<b>Flash Point:</b>	N/A
<b>Evaporation Rate (Butyl Acetate = 1):</b>	Very Soluble
<b>Flammability:</b>	0
<b>Vapor Pressure (mm Hg):</b>	760MM HG @ 1000°C >1
<b>Vapor Density (AIR = 1):</b>	N/D
<b>Relative Density:</b>	1.7 g/cm <sup>3</sup>
<b>Solubility:</b>	Solubility in water, g/100ml at 20°C: 200
<b>Partition Coefficient:</b>	N/A
<b>Auto-ignition temperature:</b>	N/A
<b>Decomposition Temperature:</b>	> 210°C
<b>Viscosity:</b>	N/A
<b>Specific Gravity (H<sub>2</sub>O = 1):</b>	N/A

# Safety Data Sheet

## Instant Cold

**ColdStar**  
INTERNATIONAL

### SECTION 10: STABILITY AND REACTIVITY

**STABILITY:** Stable under proper storage conditions

**CONDITIONS TO AVOID:** Melts and decomposes when heated to extreme temperatures.

**INCOMPATIBILITY (MATERIAL TO AVOID):** strong base, strong acid, organic materials, chromates, zinc, compounds by copper, nickel and cobalt

**HAZARDOUS DECOMPOSITION OR BY PRODUCTS:** ammonium nitrate melts and decomposes when strongly heated, releasing toxic fumes (NON)

**HAZARDOUS POLYMERIZATION:** Not expected under prescribed storage and handling conditions.  
Decomposition may occur at extremely high temperatures.

### SECTION 11: TOXICOLOGICAL INFORMATION

**Routes of Exposure:** Not expected under normal usage.

Eye or Skin

**Related Symptoms:** Not expected under normal usage.

Eye: Eye irritation

Skin: Very Mild skin irritation

**Acute Toxicity:**

not applicable

**Chronic Effects of Long Term Exposure:**

Chronic Toxicity: substance might lead to change in blood structure (formation of methaemoglobine)

Mutagenicity: no mutagenicity expected

Reproductive Toxicity: no reproductive toxicity expected

Teratogenicity: Not expected to be a teratogen.

Epidemiological Data: epidemiological data indicates no effects in workers exposed to 10mg/m<sup>3</sup> for a year or longer

**Numerical measures of toxicity:**

Oral: LD50 rat: 2300mg/kg

Dermal: LD50 rat.: expected 2000mg/kg

Inhalation: 4hrs LC50 rat: expected 88mg/l

**Carcinogenicity:**

NTP: NO NCI-Lifetime study has been carried out

IARC: NO IARC monograph has been published

OSHA: Not a regulated carcinogen

### SECTION 12: ECOLOGICAL INFORMATION

**ECOTOXICITY:**

96 h LCSO (for fish): 10-100mg/l

48h EC50 (for Daphnia): 10-100 mg/l

**BIODEGRADABILITY:** Readily biodegradable.

**BIOACCUMULATION:** Log P 0, no bioaccumulation potential.

**MOBILITY:** Highly water soluble. It is not absorbed by soil.

**OTHER ADVERSE EFFECTS:** None found

### SECTION 13: DISPOSAL CONSIDERATIONS

**WASTE DISPOSAL METHOD:**

Responsibility of the receiver to have knowledge of national and local regulations.

Methods of Disposal: The substance is biodegradable. Disposal according to the local legislation.

### SECTION 14: TRANSPORT INFORMATION

**UN number and proper shipping name:** UN1942, Ammonium Nitrate

A limited quantity may be renamed "consumer commodity" and re-classed as ORM-D. Please consult 49CFR 17Y152 for additional information.

**Transport hazard class(es):** 5.1

**Packing group:** III

**Environmental hazards:** Avoid release to the environment in circumstances different to normal use.

**Special precautions:** Heating may cause violent combustion or explosion. Decomposes on heating - >170°C. This produces toxic fumes. The substance is a strong oxidant. It reacts with acids and combustible and reducing materials.

# Safety Data Sheet

## Instant Cold



### SECTION 15: REGULATORY INFORMATION

#### US FEDERAL REGULATIONS

TSCA (TOXIC SUBSTANCE CONTROL ACT): [Not Regulated](#)

CERCLA/SARA - HAZARDOUS SUBSTANCES: [Not Applicable](#)

302 EXTREMELY HAZARDOUS SUBSTANCES EPCRA RQS: [Not Listed](#)

302 EXTREMELY HAZARDOUS SUBSTANCES TPQS: [Not Listed](#)

CERCLA/SARA - 313 - EMISSION REPORTING: [Not Listed](#)

#### US STATE REGULATIONS

CALIFORNIA - 8 CCR SECTION 339 - DIRECTOR'S LIST OF HAZARDOUS SUBSTANCES: [Not Listed](#)

#### INTERNATIONAL REGULATIONS

Canadian WHMIS Classification: [Not Listed](#)

Canadian WHMIS - INGREDIENT DISCLOSURE LIST: [Not Listed](#)

Canadian Environmental Protection Act (CEPA) information: [Not Listed](#)

Germany - WATER HAZARD CLASS: [Not Listed](#)

### SECTION 16: OTHER INFORMATION

Date of Preparation/Last Revision: **7/1/15**

Date of Last Review: **5/15/18**

**FURTHER INFORMATION:** This SDS has been prepared in accordance with:

**DISCLAIMER:** The information provided in this Safety Data Sheet has been compiled, in good faith, from our experience and data presented in various technical publications. An SDS for a substance is not primarily intended for use by the general consumer, focusing instead on the hazards of working with the material in an occupational setting. It is believed to be accurate and represents the best information currently available. HOWEVER, Coldstar International MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER TYPE, EXPRESSED OR IMPLIED, WITH RESPECT TO PRODUCTS DESCRIBED OR DATA OR INFORMATION PROVIDED, AND WE ASSUME NO LIABILITY RESULTING FROM THE USE OF SUCH PRODUCTS, DATA OR INFORMATION. Users should make their own investigations to determine the suitability of the information for their particular purposes, and the user assumes all risk arising from their use of the material. The user is required to comply with all laws and regulations relating to the purchase, use, storage and disposal of the material, and must be familiar with and follow generally accepted safe handling procedures. In no event shall Coldstar International be liable for any claims, losses, or damages of any individual or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Coldstar International has been advised of the possibility of such damages. We reserve the right to update MSDS sheets from time to time as new information becomes available. It is the responsibility of the user to verify that they have the latest revision available.

Manufactured By/Contact Source for Additional Information	
Coldstar International, Inc.	Phone Number: 423-538-5551
302 Rosedale Lane	Fax Number: 423-538-3030
Bristol, TN 37620	Email Address: <a href="mailto:customerservice@coldstarinternational.com">customerservice@coldstarinternational.com</a>
United States of America	Preparer's Name: ColdStar International, Inc.